

# Galvanized Steel Sheets

## Prime G90

LFQ = Lock forming quality

Also available from G30 to G235

Gauge No.	Thickness, Inches		Lbs per sq. ft.	Gauge No.	Thickness, Inches		Lbs per sq. ft.
	Dec. Equiv.	Tol. Range	Weight Equiv.		Dec. Equiv.	Tol. Range	Weight Equiv.
10	.1382	.1472 .1292	5.78125	21	.0366	.0406 .0326	1.53125
11	.1233	.1323 .1143	5.15625	22	.0336	.0376 .0296	1.40625
12	.1084	.1174 .0994	4.53125	23	.0306	.0346 .0266	1.28125
13	.0934	.1014 .0854	3.90625	24	.0276	.0316 .0236	1.15625
14	.0785	.0865 .0705	3.28125	25	.0247	.0287 .0207	1.03125
15	.0710	.0770 .0650	2.96875	26	.0217	.0247 .0187	.90625
16	.0635	.0695 .0575	2.65625	27	.0202	.0232 .0172	.84375
17	.0575	.0625 .0525	2.40625	28	.0187	.0217 .0157	.78125
18	.0516	.0566 .0466	2.15625	29	.0172	.0202 .0142	.71875
19	.0456	.0506 0.406	1.90625	30	.0157	.0187 .0127	.65625
20	.0396	.0436 .0356	1.65625				

Please contact us for current pricing

3 to 5 day lead time (rush orders available) .... Shipping out of Antioch CA